

ORDINANCE NO. 730

AN ORDINANCE RELATING TO A PLUMBING CODE ADOPTING BY REFERENCE THE COLORADO DEPARTMENT OF HEALTH TECHNICAL PLUMBING CODE EFFECTIVE MARCH 15, 1972, AND AMENDED TO AUGUST 15, 1973, AS ISSUED BY THE COLORADO DEPARTMENT OF HEALTH, 4210 EAST 11TH AVENUE, DENVER, COLORADO 80220, EXCEPT AS AMENDED, ALTERED, AND AS DELETED HEREIN; AND REPEALING ORDINANCES IN CONFLICT THEREWITH.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF GOLDEN, COLORADO:

SECTION 1. Section 15.08.120, Golden Revised Ordinances of 1965 is hereby amended as follows:

Section 15.08.120 UBC Section 303 added to. Immediately preceding "TABLE 3C - PLUMBING PERMIT FEES" insert a sentence to read as follows: 303(c) Plumbing permit fees. A fee for each plumbing permit shall be paid to the Building Official as set forth in Table 3C.

SECTION 2. Chapter 15.16, Golden Revised Ordinances of 1965 is hereby repealed and re-enacted as follows:

CHAPTER 15.16 UNIFORM PLUMBING CODE

(1) Section 15.16.010, Golden Revised Ordinances of 1965 is hereby repealed and re-enacted as follows:

15.16.010 Technical Plumbing Code adopted by reference. The Technical Plumbing Code of the State of Colorado, as issued by the Colorado Department of Health pursuant to authority vested in the Department by Title 25, Colorado Revised Statutes of 1973, is adopted by reference in its entirety as published by the Colorado Department of Health, 4210 East 11th Avenue, Denver, Colorado 80220, effective March 15, 1972, and amended to August 15, 1973, except as amended, altered and deleted in this chapter.

(2) Section 15.16.020 is hereby added to the Golden Revised Ordinances of 1965 to read as follows:

Section 15.16.020 Technical Plumbing Code appendices inclusion. The following appendices of the Technical Plumbing Code shall specifically be included in the adoption by reference of said publication made in the foregoing section:

- a) The appendix entitled "Building Sewers and Storm Sewers."
- b) The appendix comprising all illustrations and examples of code interpretation.
- c) The appendix "D" entitled "Sizing the Water-Supply System."
- d) The appendix "C" entitled "Air Gaps, Backflow Preventers, and Drinking Fountain Standards."

The appendix "T.C." entitled "Trailer Coach Plumbing Standards" is specifically not adopted by reference.

(3) Section 15.16.030 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

15.16.030 TPC Section 2.30 added. Section 2.30 is added to the plumbing code to read as follows:

2.30 License. No person shall engage in or work at the business, trade, or calling of an apprentice plumber, journeyman plumber, master plumber or plumbing contractor until such person shall have received from the Department of Public Health a license as provided by Title 12, Article 58, Colorado Revised Statutes of 1973, as amended. No unlicensed person shall engage in or work on any part of any plumbing system within any building, structure, area, premises or use except as provided in Section 12-58-118, Colorado Revised Statutes of 1973.

(4) Section 15.16.040 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

15.16.040 TPC Section 2.31 added. Section 2.31 is added to the plumbing code to read as follows:

2.31 Enforcement. The Building Official is hereby authorized and directed to enforce all provisions of this code.

(5) Section 15.16.050 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

15.16.050 TPC Section 10.7.3B added. Section 10.7.3B is added to the plumbing code to read as follows:

10.7.3B Anti-backfeed Devices. All boilers shall be connected to a permanent water supply line; and such supply line shall have installed therein a Colorado Department of Health approved reduced pressure anti-backfeed valve assembly, separating supply and boiler, in addition to the usual devices required on boilers. A check valve and/or pressure regulator shall not be acceptable as a substitute for the reduced pressure anti-feedback assembly.

(6) Section 15.16.060 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

15.16.060 TPC Section 2.32 added. Section 2.32 is added to the plumbing code to read as follows:

2.32 Location of Gas burning Devices. No gas burning device shall be installed or reinstalled under stairs, in exit hallways, bathrooms, toilets, shower rooms, bedrooms or in rooms with an unvented dryer. All gas burning devices shall have access to combustion air no less than the size in square inches of the flue gas vent.

(7) Section 15.16.070 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

15.16.070 TPC Appendix "Building Sewers and Storm Sewers" added to and deleted. Add the following paragraph immediately after the first subject heading entitled "Building Sewers":

Abandoned Building Sewer - Any building sewer which has been abandoned shall be capped or plugged by the owner's plumber in a water-tight manner at its junction with a public or private sewer main.

And delete a part of the next paragraph entitled "Separate Trenches" so that it reads as follows:

Separate Trenches - The building sewer, when installed in a separate trench from the water-service pipe, shall be cast iron soil pipe or clay sewer pipe. Other materials acceptable to the plumbing code may only be used with the specific permission of the City Engineer. Also, see Section 10.6.1 and Section 11.1.4 regarding separate trenches. To size building sewers, Table 11.5.2 under Section 11.5.1 shall apply.

(8) Section 15.16.080 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

15.16.080 TPC Section 10.4.4. added. Section 10.4.4 is added to the plumbing code to read as follows:

Abandoned Water-service Pipe - Any water-service pipe which has been abandoned shall be physically disconnected at its junction with the public or private water main by the owner's plumber.

(9) Section 15.16.090 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

Section 15.16.090 TPC Section 10.10.1 added to. Add to Section 10.10.1 of the plumbing code sentences to read as follows:

The water-service pipe for any building shall be Type K copper tubing or cast iron pipe only. Also, see Section 10.13.1 for further requirements.

(10) Section 15.16.100 is hereby added to Golden Revised Ordinances of 1965 to read as follows:

Section 15.16.100 TPC Section 4.3.1 added to. Add to Section 4.3.1 of the plumbing code sentences to read as follows:

Joining of a building sewer with a public or private sewer main shall require the tap to be machine bored and the mounting of the tapping saddle with epoxy cement or with cement per Section 4.2.9; the connection of the tapping saddle to the building sewer shall be made per the requirements of Section 4.2.81 or Section 4.2.15. Building sewer line joints may be made of any material permitted by the plumbing code except portland cement mortar.

SECTION 3. All ordinances or parts of ordinances in conflict herewith are hereby repealed.

Introduced, read and ordered published the 13th day of February, 1975.

Adopted, approved and ordered published the 27th day of March, 1975.

David C. Crawford
Mayor

ATTEST:

Sharon L. Bennetts
City Clerk

Approved as to form:

Daniel T. Moyle, Jr.
City Attorney

I, Sharon L. Bennetts, City Clerk of the City of Golden, Colorado, do hereby certify that the foregoing ordinance was introduced and read at a regular meeting of the City Council of said City, held on the 13th day of February, 1975, and by order of said City Council was published as a proposed ordinance as the law directs more than seven days prior to its passage in the Outlook, legal newspaper; and that on the 27th day of March, 1975, the said proposed ordinance was read and passed by the City Council aforesaid, the said meeting being a regular meeting of said City Council and ordered published in aforesaid newspaper as the law directs.

Witness my hand and official seal of the City of Golden, Colorado, this 28th day of March, A.D., 1975.

(S E A L)

Attest:

Sharon L. Bennetts, City Clerk of the
City of Golden, Colorado